

Entac Power Adapter 2 Sockets (2 Earthed)

Product code:	EPAG-2EE	
ID:	ES-200418	Date of issue: 2024-05-06
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 1/3

SPECIFICATIONS

EAN code:	5999097904429
Warranty:	
Packaging:	1/b 100/c 3000/p
Certifications:	CE

TECHNICAL DETAILS

Wattage:	3 500W
Voltage:	250V
Length:	
Cable type:	
Number of sockets:	2pcs
Switch:	
IP Class:	IP20

PRODUCT PICTURE



Entac Power Adapter 2 Sockets (2 Earthed)

Product code:	EPAG-2EE	
ID:	ES-200418	Date of issue: 2024-05-06
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 2/3

PRODUCT SIZE

Size: 150mm x 140mm x 50mm

CARDBOARD BOX

EAN:	5999097904429
Packaging:	1/b 100/c 3000/p
Dimensions:	150mm x 140mm x 50mm
Net weight:	66g
Gross weight:	72g

CARTON

EAN:	5999097904436
Packaging:	1/b 100/c 3000/p
Dimensions:	415mm x 415mm x 270mm
Net weight:	6.6kg
Gross weight:	7.2kg

PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	30carton/pallet
Cartons per row:	
Net weight:	198kg
Gross weight:	216kg

PRODUCT PICTURE



Entac Power Adapter 2 Sockets (2 Earthed)

Product code: EPAG-2EE

ID: ES-200418

Date of issue: 2024-05-06

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen

Page: 3/3

PRODUCT DESCRIPTION

With the help of Entac power adapters we can expand our options even in indoor rooms with few power sources. We provide a solution for using earthed and Europlugs. Of the adapters with an earthed socket there are versions with 2 or 3 sockets. Our Euro adapters are available with 2 sockets, as well as in a mixed version with 2 Euro and 2 earthed sockets. We may also choose from adapters equipped with a switch, available with 1 or 2 earthed sockets or in a mixed version with 1 earthed and 2 Euro sockets. Besides these, we also sell the classic T-shaped strip with 3 earthed sockets.

Entac has a number of different product categories that can be viewed at the [link](#) below.