

Entac Power Adapter 3 Sockets (3 Earthed)

Product code: EPAG-3EE
ID: ES-200418
Company name: Bramcke Hungary Kft.
Company address: Kishatár utca 17., 4031 Debrecen

Date of issue: 2024-04-25

Page: 1/3

SPECIFICATIONS

EAN code: 5999097904504
Warranty:
Packaging: 1/b 100/c 1600/p
Certifications: CE

PRODUCT PICTURE



TECHNICAL DETAILS

Wattage: 3 500W
Voltage: 250V
Length:
Cable type:
Number of sockets: 3pcs
Switch:
IP Class: IP20

Entac Power Adapter 3 Sockets (3 Earthed)

Product code: EPAG-3EE
ID: ES-200418
Company name: Bramcke Hungary Kft.
Company address: Kishatár utca 17., 4031 Debrecen

Date of issue: 2024-04-25

Page: 2/3

PRODUCT SIZE

Size: 200mm x 140mm x 50mm

CARDBOARD BOX

EAN: 5999097904504
Packaging: 1/b 100/c 1600/p
Dimensions: 200mm x 140mm x 50mm
Net weight: 97g
Gross weight: 103g

CARTON

EAN: 5999097904511
Packaging: 1/b 100/c 1600/p
Dimensions: 420mm x 290mm x 530mm
Net weight: 9.7kg
Gross weight: 10.3kg

PALLET EXAMPLE

Height:
Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)
Cartons per pallet: 16carton/pallet
Cartons per row:
Net weight: 155.2kg
Gross weight: 164.8kg

PRODUCT PICTURE



Entac Power Adapter 3 Sockets (3 Earthed)

Product code: EPAG-3EE

ID: ES-200418

Date of issue: 2024-04-25

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen

Page: 3/3

PRODUCT DESCRIPTION

With the help of Entac power adapters we can expand our options even in indoor rooms with few power sources. We provide a solution for using earthed and Europlugs. Of the adapters with an earthed socket there are versions with 2 or 3 sockets. Our Euro adapters are available with 2 sockets, as well as in a mixed version with 2 Euro and 2 earthed sockets. We may also choose from adapters equipped with a switch, available with 1 or 2 earthed sockets or in a mixed version with 1 earthed and 2 Euro sockets. Besides these, we also sell the classic T-shaped strip with 3 earthed sockets.

Entac has a number of different product categories that can be viewed at the [link](#) below.