

Entac Power Adapter T (3 Earthed)

Product code:	EPAG-T3EE	
ID:	ES-200418	Date of issue: 2024-05-06
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 1/3

SPECIFICATIONS

EAN code:	5999097904481
Warranty:	
Packaging:	1/b 100/c 3000/p
Certifications:	CE

TECHNICAL DETAILS

Wattage:	3 500W
Voltage:	250V
Length:	
Cable type:	
Number of sockets:	3pcs
Switch:	
IP Class:	IP20

PRODUCT PICTURE



Entac Power Adapter T (3 Earthed)

Product code:	EPAG-T3EE	
ID:	ES-200418	Date of issue: 2024-05-06
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 2/3

PRODUCT SIZE

Size: 140mm x 190mm x 50mm

CARDBOARD BOX

EAN:	5999097904481
Packaging:	1/b 100/c 3000/p
Dimensions:	140mm x 190mm x 50mm
Net weight:	88g
Gross weight:	94g

CARTON

EAN:	5999097904498
Packaging:	1/b 100/c 3000/p
Dimensions:	455mm x 240mm x 405mm
Net weight:	8.8kg
Gross weight:	9.4kg

PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	30carton/pallet
Cartons per row:	
Net weight:	264kg
Gross weight:	282kg

PRODUCT PICTURE



### Entac Power Adapter T (3 Earthed)

**Product code:** EPAG-T3EE

**ID:** ES-200418

**Date of issue:** 2024-05-06

**Company name:** Bramcke Hungary Kft.

**Company address:** Kishatár utca 17., 4031 Debrecen

**Page:** 3/3

#### PRODUCT DESCRIPTION

With the help of Entac power adapters we can expand our options even in indoor rooms with few power sources. We provide a solution for using earthed and Europlugs. Of the adapters with an earthed socket there are versions with 2 or 3 sockets. Our Euro adapters are available with 2 sockets, as well as in a mixed version with 2 Euro and 2 earthed sockets. We may also choose from adapters equipped with a switch, available with 1 or 2 earthed sockets or in a mixed version with 1 earthed and 2 Euro sockets. Besides these, we also sell the classic T-shaped strip with 3 earthed sockets.

Entac has a number of different product categories that can be viewed at the [link](#) below.