Datasheet and description



Entac Socket Extension Cord S1 4 Sockets 1.5m 3G1.5

Product code: ESE1.5G4-1.5

ID: ES-200418 **Date of issue:** 2024-05-15

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen Page: 1/3

SPECIFICATIONS

EAN code: 5999097978000

Warranty: 2year(s)

Packaging: 1/b 30/c 2560/p

Certifications: CE

TECHNICAL DETAILS

Wattage: 3 680W
Voltage: 250V
Length: 1.5m
Cable type: 3G1.5
Number of sockets: 4pcs
Switch: no
IP Class: IP20

PRODUCT PICTURE



Datasheet and description



Entac Socket Extension Cord S1 4 Sockets 1.5m 3G1.5

Product code: ESE1.5G4-1.5

ID: ES-200418 **Date of issue:** 2024-05-15

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen **Page:** 2/3

PRODUCT SIZE

Size: 140mm x 310mm x 70mm

CARDBOARD BOX

EAN: 5999097978000 Packaging: 1/b 30/c 2560/p

Dimensions: 140mm x 310mm x 70mm

Net weight: 147g Gross weight: 170g

CARTON

EAN: 5999097978017 Packaging: 1/b 30/c 2560/p

Dimensions: 550mm x 340mm x 195mm

Net weight: 4.41kg
Gross weight: 5.1kg

PALLET EXAMPLE

Height:

Width: 120cm (std Euro pallet)

Mepth: 80cm (std Euro pallet)

Cartons per pallet: 85carton/pallet

Cartons per row:

Net weight: 376.32kg
Gross weight: 435.2kg

PRODUCT PICTURE



Datasheet and description



Entac Socket Extension Cord S1 4 Sockets 1.5m 3G1.5

Product code: ESE1.5G4-1.5

ID: ES-200418 **Date of issue:** 2024-05-15

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen **Page:** 3/3

PRODUCT DESCRIPTION

The Entac socket extension are indispensable both at work and home. With their help you can provide electricity for all of your electric devices even if the power source is located further away in the room. Our range includes earthed socket strips with 3 to 6 sockets, 3G1.0 cable type in 1.5, 3 and 5 m lengths, as well as 3G1.5 cable type in 1.5 and 3 meter lengths.

The Entac socket extension category includes numerous other products. Learn more about these on the following link.